

Miedema SB	SB 151	SB 451
Greatest width	300 cm	310 cm
Height	220 cm	270 cm
Entry width	300 cm	295 cm
Discharge bottom width	120 cm	160 cm
Discharge bottom length	350 cm	350 cm
Discharge bottom speed	0.1 - 4.6 (m/min)	0.1 - 4.6 (m/min)
Maximum driving speed	6 km/h	6 km/h
Weight (Empty)	1000 kg	1800 kg
Tyre size	185 x 14	11.5 / 80
Variable input board	n/a	Option
Start/stop through level control SB	Option	Option
Power supply socket on machine	Option	Option
Cleaning unit, 6 rollers	Option	Standard
Cleaning unit, 8 rollers	n/a	Option
2nd unit (sorting unit)	Option	Option
Smooth rollers	Option	Option
Coil rollers (steel or PU)	Option	Standard
Star rollers	Option	Option
RZR Plain roller cleaner	Option	Option
Inspection table LT 270/20	n/a	Option
Discharge belts, flat or troughed	Option	Standard
Bar belt	n/a	Option

Miedema MH

MH 200

MH 240

Greatest width	310 cm	350 cm
Height	300 cm	300 cm
Entry width	290 cm	330 cm
Discharge bottom width	200 cm	240 cm
Discharge bottom length	450 cm	450 cm
Discharge bottom speed	0.1 - 4.6 (m/min)	0.1 - 4.6 (m/min)
Maximum driving speed	6 km/h	6 km/h
Weight (Empty)	4100 kg	4300 kg
Tyre size	11.5/80	11.5/80
Metering belt	n/a	Option
Double metering belt	n/a	n/a
Variable input board	Option	Option
Extra rubber sealing guard	Option	Option
Start/stop with level control	Option	Option
Automatic chain lubrication, bottom belt	Option	Option
Receiving detection MH for tipping trailer	Option	Option
Tipper navigation light	Option	Option
MH-Control	Option	Option
Onion mill	Option	Option
Power supply socket on machine 5A	Option	Option
Start-Control	Standard	Standard
Cleaning unit with 6, 7 or 8 rollers	Option	Option
2nd cleaning unit with 6, 7 or 8 rollers with intermediate belt	Option	Option
Cleaning unit with chain drive, two speeds	Standard	Standard
Cleaning unit with chain drive, variable speed	Option	Option
Cleaning unit with motor for each roller, variable speed	Option	Option
Smooth rollers	Option	Option
Coil rollers (steel or PU)	Standard	Standard
Sorting rollers 35/55, 40/60, 50/70	Option	Option
Smart-Pin coil roller cleaner	Option	Option
RZR Plain roller cleaner	Option	Option
Discharge conveyors with guide belts	Standard	Standard
High speed discharge belts	Standard	Standard
Variable speed discharge belts	Option	Option

Miedema MH

MH 241

MH 242

Greatest width	350 cm	350 cm
Height	300 cm	300 cm
Entry width	330 cm	330 cm
Discharge bottom width	240 cm	240 cm
Discharge bottom length	560 cm	770 cm
Discharge bottom speed	0.1 - 4.6 (m/min)	0.1 - 4.6 (m/min)
Maximum driving speed	6 km/h	6 km/h
Weight (Empty)	5200 kg	8000 kg
Tyre size	13.0/55	13.0/55
Metering belt	Option	Option
Double metering belt	n/a	n/a
Variable input board	Option	Option
Extra rubber sealing guard	Option	Option
Start/stop with level control	Option	Option
Automatic chain lubrication, bottom belt	Option	Option
Receiving detection MH for tipping trailer	Option	Option
Tipper navigation light	Option	Option
MH-Control	Option	Option
Onion mill	Option	Option
Power supply socket on machine 5A	Option	Option
Start-Control	Standard	Standard
Cleaning unit with 6, 7 or 8 rollers	Option	Option
2nd cleaning unit with 6, 7 or 8 rollers with intermediate belt	Option	Option
Cleaning unit with chain drive, two speeds	Standard	Standard
Cleaning unit with chain drive, variable speed	Option	Option
Cleaning unit with motor for each roller, variable speed	Option	Option
Smooth rollers	Option	Option
Coil rollers (steel or PU)	Standard	Standard
Sorting rollers 35/55, 40/60, 50/70	Option	Option
Smart-Pin coil roller cleaner	Option	Option
RZR Plain roller cleaner	Option	Option
Discharge conveyors with guide belts	Standard	Standard
High speed discharge belts	Standard	Standard
Variable speed discharge belts	Option	Option

Miedema MH

MH 660

MH 280

Greatest width	350 cm	398 cm
Height	500 cm	400 cm
Entry width	300 cm	320 cm
Discharge bottom width	240 cm	280 cm
Discharge bottom length	660 cm	900 cm
Discharge bottom speed	0.1 - 4.8 (m/min)	0.1 - 4.8 (m/min)
Maximum driving speed	6 km/h	6 km/h
Weight (Empty)	6200 kg	10.000 kg
Tyre size	13.0/55	40/14.5
Metering belt	Option	Option
Double metering belt	Option	Option
Variable input board	n/a	Option
Extra rubber sealing guard	n/a	Option
Start/stop with level control	n/a	n/a
Automatic chain lubrication, bottom belt	Option	Standard
Receiving detection MH for tipping trailer	n/a	n/a
Tipper navigation light	Option	Standard
MH-Control	Standard	Standard
Onion mill	n/a	Option
Power supply socket on machine 5A	n/a	n/a
Start-Control	Standard	Standard
Cleaning unit with 6, 7 or 8 rollers	n/a	n/a
2nd cleaning unit with 6, 7 or 8 rollers with intermediate belt	n/a	n/a
Cleaning unit with chain drive, two speeds	n/a	n/a
Cleaning unit with chain drive, variable speed	n/a	n/a
Cleaning unit with motor for each roller, variable speed	n/a	n/a
Smooth rollers	n/a	n/a
Coil rollers (steel or PU)	n/a	n/a
Sorting rollers 35/55, 40/60, 50/70	n/a	n/a
Smart-Pin coil roller cleaner	n/a	n/a
RZR Plain roller cleaner	n/a	n/a
Discharge conveyors with guide belts	n/a	n/a
High speed discharge belts	n/a	n/a
Variable speed discharge belts	n/a	n/a

Miedema MH

MH 281

MH 282

Greatest width	398 cm	398 cm
Height	400 cm	400 cm
Entry width	320 cm	320 cm
Discharge bottom width	280 cm	280 cm
Discharge bottom length	1.025 cm	1.150 cm
Discharge bottom speed	0.1 - 4.8 (m/min)	0.1 - 4.8 (m/min)
Maximum driving speed	6 km/h	6 km/h
Weight (Empty)	11.000 kg	12.000 kg
Tyre size	40/14.5	40/14.5
Metering belt	Option	Option
Double metering belt	Option	Option
Variable input board	Option	Option
Extra rubber sealing guard	Option	Option
Start/stop with level control	n/a	n/a
Automatic chain lubrication, bottom belt	Standard	Standard
Receiving detection MH for tipping trailer	n/a	n/a
Tipper navigation light	Standard	Standard
MH-Control	Standard	Standard
Onion mill	Option	Option
Power supply socket on machine 5A	n/a	n/a
Start-Control	Standard	Standard
Cleaning unit with 6, 7 or 8 rollers	n/a	n/a
2nd cleaning unit with 6, 7 or 8 rollers with intermediate belt	n/a	n/a
Cleaning unit with chain drive, two speeds	n/a	n/a
Cleaning unit with chain drive, variable speed	n/a	n/a
Cleaning unit with motor for each roller, variable speed	n/a	n/a
Smooth rollers	n/a	n/a
Coil rollers (steel or PU)	n/a	n/a
Sorting rollers 35/55, 40/60, 50/70	n/a	n/a
Smart-Pin coil roller cleaner	n/a	n/a
RZR Plain roller cleaner	n/a	n/a
Discharge conveyors with guide belts	n/a	n/a
High speed discharge belts	n/a	n/a
Variable speed discharge belts	n/a	n/a